

## Packages - Bug #1915

### [systemd][systemd-libsistemd] make them conflict with elogind, opensysusers and opentmpfiles

2018-07-27 07:50 PM - Megver83

<b>Status:</b>	fixed	<b>% Done:</b>	100%
<b>Priority:</b>	bug		
<b>Assignee:</b>	lukeshu		
<b>Category:</b>			

#### Description

If I try to install systemd and libsistemd next to elogind, opensysusers and opentmpfiles, it will simply fail: those packages can't coexist.

```
$ sudo pacman -S systemd libsistemd.so libsistemd
resolving dependencies...
looking for conflicting packages...
:: systemd and systemd-dummy are in conflict (systemd-tools). Remove systemd-dummy? [y/N] y
:: libsistemd and libsistemd-dummy are in conflict. Remove libsistemd-dummy? [y/N] y
:: systemd-nss-myhostname and your-initfreedom are in conflict (nss-myhostname). Remove your-initfreedom? [y/N] y

Packages (11) libsistemd-dummy-238.76-1.parabola3 [removal] systemd-common-239.0-2.parabola4 sys
temd-dummy-238.76-1.parabola3 [removal] systemd-nss-myhostname-239.0-2.parabola4
systemd-nss-mymachines-239.0-2.parabola4 systemd-nss-resolve-239.0-2.parabola4 sys
temd-nss-systemd-239.0-2.parabola4 your-initfreedom-20180625-1 [removal]
libsistemd-239.0-2.parabola4 systemd-239.0-2.parabola4 systemd-libsistemd-239.0-2.
parabola4

Total Installed Size: 13.74 MiB
Net Upgrade Size: 10.86 MiB

:: Proceed with installation? [Y/n]
(8/8) checking keys in keyring
[-----] 100%
(8/8) checking package integrity
[-----] 100%
(8/8) loading package files
[-----] 100%
(8/8) checking for file conflicts
[-----] 100%
error: failed to commit transaction (conflicting files)
systemd-libsistemd: /usr/share/man/man3/SD_BUS_ERROR_END.3.gz exists in filesystem (owned by elogi
nd)
systemd-libsistemd: /usr/share/man/man3/SD_BUS_ERROR_MAKE_CONST.3.gz exists in filesystem (owned b
y elogind)
systemd-libsistemd: /usr/share/man/man3/SD_BUS_ERROR_MAP.3.gz exists in filesystem (owned by elogi
nd)
systemd-libsistemd: /usr/share/man/man3/SD_BUS_ERROR_NULL.3.gz exists in filesystem (owned by elog
ind)
systemd-libsistemd: /usr/share/man/man3/SD_EVENT_ARMED.3.gz exists in filesystem (owned by elogind
)
systemd-libsistemd: /usr/share/man/man3/SD_EVENT_EXITING.3.gz exists in filesystem (owned by elogi
nd)
systemd-libsistemd: /usr/share/man/man3/SD_EVENT_FINISHED.3.gz exists in filesystem (owned by elog
ind)
systemd-libsistemd: /usr/share/man/man3/SD_EVENT_INITIAL.3.gz exists in filesystem (owned by elogi
nd)
systemd-libsistemd: /usr/share/man/man3/SD_EVENT_OFF.3.gz exists in filesystem (owned by elogind)
systemd-libsistemd: /usr/share/man/man3/SD_EVENT_ON.3.gz exists in filesystem (owned by elogind)
systemd-libsistemd: /usr/share/man/man3/SD_EVENT_ONESHOT.3.gz exists in filesystem (owned by elogi
nd)
systemd-libsistemd: /usr/share/man/man3/SD_EVENT_PENDING.3.gz exists in filesystem (owned by elogi
nd)
systemd-libsistemd: /usr/share/man/man3/SD_EVENT_PREPARING.3.gz exists in filesystem (owned by elo
```

gind)  
systemd-libsistemd: /usr/share/man/man3/SD\_EVENT\_PRIORITY\_IDLE.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/SD\_EVENT\_PRIORITY\_IMPORTANT.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/SD\_EVENT\_PRIORITY\_NORMAL.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/SD\_EVENT\_RUNNING.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/SD\_LISTEN\_FDS\_START.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd-bus.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd-event.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_booted.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_add\_match.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_audit\_login\_uid.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_audit\_session\_id.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_augmented\_mask.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_cgroupp.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_cmdline.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_comm.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_description.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_egid.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_euid.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_exe.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_fsgid.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_fsuid.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_gid.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_mask.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_owner\_uid.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_pid.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_ppid.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_selinux\_context.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_session.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_sgid.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_slice.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_suid.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_supplementary\_gids.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_tid.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_tid\_comm.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_tty.3.gz exists in filesystem (owned by e

logind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_uid.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_unique\_name.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_unit.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_user\_slice.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_user\_unit.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_get\_well\_known\_names.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_has\_bounding\_cap.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_has\_effective\_cap.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_has\_inheritable\_cap.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_has\_permitted\_cap.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_new\_from\_pid.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_ref.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_unref.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_creds\_unrefp.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_default.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_default\_system.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_default\_user.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_error.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_error\_add\_map.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_error\_copy.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_error\_free.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_error\_get\_errno.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_error\_has\_name.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_error\_is\_set.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_error\_map.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_error\_set.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_error\_set\_const.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_error\_set\_errno.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_error\_set\_errnof.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_error\_set\_errnofv.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_error\_setf.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_get\_fd.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_append.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_append\_array.3.gz exists in filesystem (owned by elogind)

systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_append\_array\_iovec.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_append\_array\_memfd.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_append\_array\_space.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_append\_basic.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_append\_string\_iovec.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_append\_string\_memfd.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_append\_string\_space.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_append\_strv.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_appendv.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_get\_cookie.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_get\_monotonic\_usec.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_get\_realtime\_usec.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_get\_reply\_cookie.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_get\_seqnum.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_message\_read\_basic.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_negotiate\_creds.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_negotiate\_fds.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_negotiate\_timestamp.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_new.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_open.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_open\_system.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_open\_system\_machine.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_open\_system\_remote.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_open\_user.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_path\_decode.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_path\_decode\_many.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_path\_encode.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_path\_encode\_many.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_process.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_ref.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_release\_name.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_request\_name.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_track\_add\_name.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_track\_add\_sender.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_bus\_track\_contains.3.gz exists in filesystem (owned by elogind)

systemd-libsystemd: /usr/share/man/man3/sd\_bus\_track\_count.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_track\_count\_name.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_track\_count\_sender.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_track\_first.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_track\_get\_bus.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_track\_get\_recursive.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_track\_get\_userdata.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_track\_new.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_track\_next.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_track\_ref.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_track\_remove\_name.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_track\_remove\_sender.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_track\_set\_recursive.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_track\_set\_userdata.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_track\_unref.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_track\_unrefp.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_unref.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_bus\_unrefp.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_add\_child.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_add\_defer.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_add\_exit.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_add\_io.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_add\_post.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_add\_signal.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_add\_time.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_child\_handler\_t.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_default.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_dispatch.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_exit.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_get\_exit\_code.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_get\_fd.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_get\_iteration.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_get\_state.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_get\_tid.3.gz exists in filesystem (owned by elogind)  
systemd-libsystemd: /usr/share/man/man3/sd\_event\_get\_watchdog.3.gz exists in filesystem (owned by



elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_event\_source\_unrefp.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_event\_time\_handler\_t.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_event\_unref.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_event\_unrefp.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_event\_wait.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_get\_machine\_names.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_get\_seats.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_get\_sessions.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_get\_uids.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_id128\_from\_string.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_id128\_get\_boot.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_id128\_get\_invocation.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_id128\_get\_machine.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_id128\_get\_machine\_app\_specific.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_id128\_randomize.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_id128\_to\_string.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_is\_fifo.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_is\_mq.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_is\_socket.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_is\_socket\_inet.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_is\_socket\_sockaddr.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_is\_socket\_unix.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_is\_special.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_listen\_fds.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_listen\_fds\_with\_names.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_login\_monitor.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_login\_monitor\_flush.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_login\_monitor\_get\_events.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_login\_monitor\_get\_fd.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_login\_monitor\_get\_timeout.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_login\_monitor\_new.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_login\_monitor\_unref.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_login\_monitor\_unrefp.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_machine\_get\_class.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_machine\_get\_ifindices.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_notify.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_notifyf.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_peer\_get\_cgroup.3.gz exists in filesystem (owned by elogind)

systemd-libsistemd: /usr/share/man/man3/sd\_peer\_get\_machine\_name.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_peer\_get\_owner\_uid.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_peer\_get\_session.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_peer\_get\_slice.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_peer\_get\_unit.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_peer\_get\_user\_slice.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_peer\_get\_user\_unit.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_pid\_get\_cgroup.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_pid\_get\_machine\_name.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_pid\_get\_owner\_uid.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_pid\_get\_session.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_pid\_get\_slice.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_pid\_get\_unit.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_pid\_get\_user\_slice.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_pid\_get\_user\_unit.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_pid\_notify.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_pid\_notify\_with\_fds.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_pid\_notifyf.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_seat\_can\_graphical.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_seat\_can\_multi\_session.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_seat\_can\_tty.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_seat\_get\_active.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_seat\_get\_sessions.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_session\_get\_class.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_session\_get\_desktop.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_session\_get\_display.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_session\_get\_remote\_host.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_session\_get\_remote\_user.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_session\_get\_seat.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_session\_get\_service.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_session\_get\_state.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_session\_get\_tty.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_session\_get\_type.3.gz exists in filesystem (owned by elogind)  
systemd-libsistemd: /usr/share/man/man3/sd\_session\_get\_uid.3.gz exists in filesystem (owned by elogind)



```
systemd-libsystemd: /usr/share/man/man3/sd_session_get_vt.3.gz exists in filesystem (owned by elogind)
systemd-libsystemd: /usr/share/man/man3/sd_session_is_active.3.gz exists in filesystem (owned by elogind)
systemd-libsystemd: /usr/share/man/man3/sd_session_is_remote.3.gz exists in filesystem (owned by elogind)
systemd-libsystemd: /usr/share/man/man3/sd_uid_get_display.3.gz exists in filesystem (owned by elogind)
systemd-libsystemd: /usr/share/man/man3/sd_uid_get_seats.3.gz exists in filesystem (owned by elogind)
systemd-libsystemd: /usr/share/man/man3/sd_uid_get_sessions.3.gz exists in filesystem (owned by elogind)
systemd-libsystemd: /usr/share/man/man3/sd_uid_get_state.3.gz exists in filesystem (owned by elogind)
systemd-libsystemd: /usr/share/man/man3/sd_uid_is_on_seat.3.gz exists in filesystem (owned by elogind)
systemd-libsystemd: /usr/share/man/man3/sd_watchdog_enabled.3.gz exists in filesystem (owned by elogind)
systemd: /usr/bin/loginctl exists in filesystem (owned by elogind)
systemd: /usr/bin/systemd-sysusers exists in filesystem (owned by opensysusers)
systemd: /usr/bin/systemd-tmpfiles exists in filesystem (owned by opentmpfiles)
systemd: /usr/share/bash-completion/completions/loginctl exists in filesystem (owned by elogind)
systemd: /usr/share/dbus-1/system-services/org.freedesktop.login1.service exists in filesystem (owned by elogind)
systemd: /usr/share/dbus-1/system.d/org.freedesktop.login1.conf exists in filesystem (owned by elogind)
systemd: /usr/share/factory/etc/pam.d/other exists in filesystem (owned by elogind)
systemd: /usr/share/factory/etc/pam.d/system-auth exists in filesystem (owned by elogind)
systemd: /usr/share/man/man1/loginctl.1.gz exists in filesystem (owned by elogind)
systemd: /usr/share/man/man5/logind.conf.5.gz exists in filesystem (owned by elogind)
systemd: /usr/share/polkit-1/actions/org.freedesktop.login1.policy exists in filesystem (owned by elogind)
systemd: /usr/share/zsh/site-functions/_loginctl exists in filesystem (owned by elogind)
Errors occurred, no packages were upgraded.
```

We should either make elogind, opentmpfiles and opensysusers conflict systemd and libsystemd **OR** make systemd and systemd-libsystemd conflict elogind and open{sysusers,tmpfiles} (I think the first is the most logical solution).

## History

**#1 - 2018-07-28 03:47 AM - lukeshu**

- % Done changed from 0 to 100

- Status changed from open to fixed

The appropriate conflicts should now be in place.