# dbscripts - Bug #636

## [dbscripts] refactor abslibre's create\_tarballs

2014-12-31 10:22 PM - mtjm

Status:	not-a-bug	% Done:	0%
Priority:	wish		
Assignee:			
Category:			

## **Description**

It runs bsdtar with \$repo/\* \${ABSLIBRE}/any/\${baserepo}/\* among its arguments which expand to very long text, making bash -x output hard to read. It also gets many unnecessary warnings like these ones:

```
bsdtar: Removing leading '/' from member names
bsdtar: /srv/abslibre/any/pcr/*: Cannot stat: No such file or directory
```

(The variables match empty directories.)

There should be a cleaner way to write it, maybe using find or xargs.

Remember #635 before editing that script.

#### History

### #1 - 2015-05-25 05:29 AM - lukeshu

Well, I want to replace `db-sync` and `abslibre` with `db-import` anyway...

#### #2 - 2016-04-15 11:40 PM - lukeshu

- Category set to dbscripts cleanup

### #3 - 2017-01-21 12:31 AM - lukeshu

- Category deleted (dbscripts cleanup)
- Project changed from libretools to dbscripts

The latter warning has been fixed, but otherwise this is still valid.

### #4 - 2018-09-20 04:29 PM - lukeshu

- Status changed from open to not-a-bug

Well... this no longer exists.

2024-04-10 1/1